

FIG. 1

[illegible]

Title: ELECTRICAL OUTLET BOX
Inventors: Archer, et al. - Hoffmann & Baron, LLP Docket: 577-526
Page 2 of 8




FIG. 2

10063724.022502




FIG. 3





FIG. 4


10083724-022502

10083724.023503

FIG 5




1000724 022502




NOTES:

- 1.) ALL DIMENSIONS ARE INCHES AND (MILLIMETERS).
- 2.) TOLERANCE $\pm 1/64$ (.397) FOR FRACTIONAL DIMENSIONS UNLESS OTHERWISE SPECIFIED.



(2) HOLES TO SECURE
 #6-32 SCREWS




*SUGGESTED STANDARD FOR FUTURE DESIGN

SINGLE GANG FLUSH OR SURFACE MOUNTED NONMETALLIC DEVICE BOX
 (NO KNOCKOUT LOCATIONS SHOWN)

FIG. 7

NOTES:

- 1.) ALL DIMENSIONS ARE INCHES AND (MILLIMETERS).
- 2.) TOLERANCE $\pm 1/64$ (.397) FOR FRACTIONAL DIMENSIONS UNLESS OTHERWISE SPECIFIED.



*SUGGESTED STANDARD FOR FUTURE DESIGN

TWO GANG FLUSH MOUNTED NONMETALLIC DEVICE BOX

Fig. 8